REGULAR MEETING OF THE COUNCIL OF THE TOWN OF ROCANVILLE HELD IN THE TOWN OFFICE, ROCANVILLE, SASKATCHEWAN ON WEDNESDAY MAY 4, 2022.

PRESENT: Mayor: Ron Reed

Councilors: Irene McLean

Paul Bunz Tristan Bell Owen Wilson

Administrator:

Intern Administrator: Tanya Strandlund

CALL TO ORDER:

Mayor Reed called the meeting to order at 7:00 p.m.

MINUTES:

2022-145 WILSON/BUNZ - That the minutes of the regular meeting held April 20, 2022 be approved as presented.

CARRIED

MATTERS ARISING FROM MINUTES:

ADDITIONS TO AGENDA:

APPROVAL BY COUNCIL:

2022-146 MCLEAN/BELL - That accounts paid and to be paid be approved as per Schedule "A" in the amount of \$86,209.67.

CARRIED

2022-147 MCLEAN/BUNZ - That the April 30, 2022 Bank Reconciliation be

accepted as per Schedule "B".

CARRIED

2022-148 WILSON/BELL- That the April 30, 2022 Statement of Financial

activities be accepted as per Schedule "C".

CARRIED

2022-149 WILSON/BELL - That the April 30, 2022 Tax Arrears Report be

accepted as per Schedule "D".

CARRIED

2022-150 BUNZ/MCLEAN - That the April 20, 2022 Utility Outstanding

Accounts Receivable Aged Analysis Report be accepted as per

Schedule "E".

CARRIED

2022-151 WILSON/MCLEAN - That the April 30, 2022 General Accounts

Receivable Aged Account Analysis Report be accepted as per

Schedule "F".

CARRIED

2022-152 WILSON/BUNZ - That the Town approve the 2022 Employee Salary

Increases as per Schedule "G".

CARRIED

ADMINISTRATOR'S REPORT:

2022-153 MCLEAN/BUNZ - That the Town accept the Administrator's report

as presented.

CARRIED

FOREMAN'S REPORT:

2022-154	WILSON/BELL - That the Town accept the Foreman's written report as presented.			
	REC. DIRECTOR'S REPORT:		CARRIED	
2022-155	WILSON/MCLEAN – That the Town accept the Rec Director's written Report as presented to include the hiring of Paige Hutchinson at the rate			
	of \$17 per hour.		CARRIED	
	CORRESPONDENCE REQUIRING ACC	CEPTANCE:		
2022-156	WILSON/BUNZ - That the Town acknowled records from the Water Treatment Plant for A			
			CARRIED	
2022-157	WILSON/BUNZ – That the Town acknowledge the presentation of the Waterworks Compliance Inspection Human Consumptive Use (Part 1). CARRIED			
2022-158	WILSON/BUNZ- That the Town acknowledge the presentation of the Waterworks Compliance Inspection – Source.			
	water words compliance inspection source		CARRIED	
2022-159	WILSON/BUNZ – That the Town acknowledge the presentation of the Precautionary Drinking Water Advisory dated April 26, 2022. CARRIED			
2022-160	WILSON/BUNZ – That the Town acknowle Rescinding – Precautionary Drinking Water			
2022-161	WILSON/BUNZ – That the Town acknowle from the Ministry of Government Relations a 2022 Education Property Tax Mill Rates:			
	Agricultural Property	1.42 mills		
	Residential Property Commercial / Industrial	4.54 mills 6.86 mills		
	Resource (oil and gas, mines and pipelines)	9.88 mills		
	(CARRIED	
2022-162	WILSON/BUNZ – That the Town acknowle SAMA 2022 Primary Audit Report dated Ap	ntation of the		
			CARRIED	
2022-163	22-163 WILSON/BUNZ – That the Town acknowledge the correspondence from Saskatchewan Housing Corporation that the 2021 Annual repois available.			
	is a variable.		CARRIED	
2022-164	WILSON/BUNZ – That the Town acknowledge the correspondence from Ombudsman Saskatchewan that the 2021 Annual Report is available CARRIED			
2022-165	WILSON/BUNZ – That the Town acknowledge the receipt of			
	The Construction Codes Act package.		CARRIED	
	COMMITTEE & BOARD REPORTS: no	ne		

GENERAL CORRESPONDENCE:

2022-166	MCLEAN/BELL - That the correspondence listed having now been read, can be filed. CARRIED			
	OLD BUSINESS: none	CHRILD		
	NEW BUSINESS:			
2022-167	WILSON/BUNZ - That the Town approve Scantron Robotics to survey			
	the lagoon for \$3000 plus kms/travel.	CARRIED		
2022-168	MCLEAN/BELL – That the Town set a combined Councillor bi-election and Aquatic Centre referendum date for Tuesday, July 19, 2022. CARRIED			
	BYLAWS: None			
	ADJOURN:			
2022-169	BUNZ/BELL - That we adjourn at 9:10 p.m. CARRIED			
	Ron Reed, Mayor Tanya Strandlund, I	ntern Administrator		